

MOUNT BLOCKS & UTILITY VENTS

TABLE OF CONTENTS






Mount Blocks 01

Mount Blocks – Specialty 03

Vents – Specialty 04

DESCRIPTION	IMAGE	ITEM#	PCS/BOX	LOCKING POSITION
Original Mount Master		Scalloped: 1128 Square: 1118	10	0.75", 1.00", 1.25"
Surface Block-Dutch Lap		1122 (Special Order)	10	
Jumbo Mount		1125	10	0.75", 1.00", 1.25"
Slim Line Mount		1127	10	0.50", 0.75"
Surface Block-Triple 3"		1123 (Special Order)	10	
Super Jumbo Mount		1134	1	0.75", 1.00", 1.25"
Large Recessed Mount		1143	5	0.625", 0.875"
Surface Master-Octagon 4"-10"		1121 (Special Order)	10	-

DESCRIPTION	IMAGE	ITEM#	PCS/BOX	LOCKING POSITION
Recessed Jumbo Mount		1142	10	0.625", 0.875"
Recessed Square Mount		1147	10	0.625", 0.875"
Recessed Mini Mount		1126	10	0.75", 1.00", 1.25"
Meter Block		5625	1	-
Jumbo Meter Block		5623	1	-
Mini Mount		1116	1	0.50", 0.85"
Split Block Mini-Mount		1148	10	0.75", 1.00", 1.25"

DESCRIPTION	IMAGE	ITEM#	PCS/BOX	LOCKING POSITION
Electrical Block		5626 (Special Order)	2	0.875", 1.125", 1.375",1.625"
Jumbo Electrical Block- ed*		5624 (Special Order)	2	0.875", 1.125", 1.375",1.625"
Jumbo Electrical Block- Offset		5622 (Special Order)	10	0.875", 1.125",1.375",1.625"
Super Jumbo Electrical Block		5630 (Special Order)	2	7/8", 1-1/8", 1-3/8", 1-5/8"
Jumbo for Water Management and Composite Siding		5686 (Special Order)	10	7/16, 11/16,15/16
Split Block for Water Management and Composite Siding		5682 (Special Order)	10	7/16, 11/16,15/16

DESCRIPTION	IMAGE	ITEM#	PCS/BOX	LOCKING POSITION
<p>4" Hooded Vent for Water Management and Composite Siding</p>		<p>5683 (Special Order)</p>	<p>1</p>	<p>7/16", 11/16", 15/16"</p>
<p>4" Hooded Vent – For Insulated Siding Concealed exhaust flap. Includes 8" long aluminum tube (4" diam.) 12 sq. ft. net free area</p>		<p>5684 (Special Order)</p>	<p>1</p>	<p>0.75", 1.00", 1.25"</p>
<p>Master Exhaust Vent – For Insulated Siding Patented exhaust flaps stay closed when not in use. Includes 8" long aluminum tube (4" diam.) 12 sq. ft. net free area 1 pc/BOX</p>		<p>5687 (Special Order)</p>	<p>1</p>	<p>7/8", 1-1/8", 1-3/8", 1-5/8"</p>
<p>Spilt Block for Insulated Siding</p>		<p>5681 (Special Order)</p>	<p>10</p>	<p>3/4", 1", 1- 1/4", 1-5/8"</p>

DESCRIPTION	IMAGE	ITEM#	PCS/BOX	LOCKING POSITION
Original Mount Master For Insulated Siding		Scalloped: 5688 (Special Order)	10	7/8", 1-1/8", 1-3/8", 1-5/8"
Jumbo Mount- For Insulated Siding		5689 (Special Order)	10	7/8", 1-1/8", 1-3/8", 1-5/8"
4" Hooded Vent		1150	1	0.75", 1.00", 1.25"
6" Hooded Vent Concealed exhaust flap. Includes 8" long aluminum tube. 25 sq. ft. net free area		1141	1	0.75", 1.00", 1.25"

DESCRIPTION	IMAGE	ITEM#	PCS/BOX	LOCKING POSITION
<p>8" Hooded Vent requirements of newer high efficiency HVAC systems. Can be installed with an 8" or 7" diameter tube (not included). Meets the increased air flow Adapter for 7" diameter tube is included. Concealed exhaust 48 sq. ft. net free are</p>		1136 (Special Order)	1	0.50", 0.75"
<p>Small Animal Guard for 4" Hooded Vent</p>	<p>Optional Small Animal Guard Not for Diver Vent</p>	1139	1	-
<p>Master Exhaust Vent</p>		Scalloped: 1124 Square: 1119	4	0.75", 1.00", 1.25"
<p>Small Animal Guard for Master Exhaust Vent Use in place of the trim ring. Order in addition to the Master Exhaust Vent</p>		1138 (Special Order)	1	-

DESCRIPTION	IMAGE	ITEM#	PCS/BOX	LOCKING POSITION
<p>Master Intake / Exhaust Vent Full fiberglass screening. Not for use as a dryer or furnace vent Snap-in Modular Vent Tube adjusts from 1 1/2" to 8" and comes with 4"-3" reducer. 12 sq. ft. net free area</p>	<p>Dimension "A" Locking Position 0.625, 1.00, 1.25</p>	1149	1	0.625", 1.00", 1.25"
<p>Foundation Master – New Construction patented flange inserts into block molded-in screen for insect protection 50 sq. ft. net free area</p>		5188 (Special Order)	10	-
<p>Foundation Master – Lock-On Trim Ring Remodeling for easy installation molded-in screen for insect protection 50 sq. ft. net free area</p>	<p>Dimension "C" Locking Position 0.75, 1.00, 1.25</p>	5088	1	0.75", 1.00", 1.25"
<p>Foundation Master – Fixed Louver molded-in screen for insect protection 50 sq. ft. net free area</p>		5189 (Special Order)	10	-